



Metall- und Druckgusswaren GmbH

Dessestraße 7
D-87600 Kaufbeuren

www.simm-zinkdruckguss.de
www.simm-metallwaren.de

CATALOGUE: settings for stones



Material:

Tombak MS 85 ÖkoTe/ 100 Standard

Minimum quantity:

raw: 500 Pieces
plated: 1 KG

Search option:

Please press „CTRL + F“ to open the search window.



Sitemap

	for Chatons	for Cabochons
Round	<ul style="list-style-type: none">- Settings with prongs- Settings with prongs rivoli- French settings- Stone caps- Stone caps rivoli- Settings with rings	<ul style="list-style-type: none">- Flatback settings- Crown settings
Oval	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings- Crown settings
Navette	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings- Crown settings
Pear	<ul style="list-style-type: none">- Settings with prongs- Settings with rings	<ul style="list-style-type: none">- Flatback settings- Crown settings
Square	<ul style="list-style-type: none">- Settings with prongs- Settings with rings	<ul style="list-style-type: none">- Flatback settings- Crown settings
Rounded square	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings- Crown settings
Baguette	<ul style="list-style-type: none">- Settings with prongs- Settings with rings	<ul style="list-style-type: none">- Flatback settings
Octagon	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings- Crown settings
Triangle	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings
Heart	<ul style="list-style-type: none">- Settings with prongs	<ul style="list-style-type: none">- Flatback settings- Crown settings
Fancy	<ul style="list-style-type: none">- Ornamental settings- Multiple settings- Asymmetrical settings- Settings with rings	




Settings with prongs: **Round**

Open search
window:
Ctrl + F



closed back



sew-on settings

The picture shows
the item in size
m/ss40

Size	Product code	Type
m/ss6	01150-00-00	closed back
m/ss8	00200-00-00	closed back
m/ss10	00202-00-00	closed back
m/ss12	00204-00-00	closed back
m/ss15	00205-00-00	closed back
m/ss19	00207-00-00	closed back
m/ss22	00208-00-00	closed back
m/ss25	00209-00-00	closed back
m/ss30	00210-00-00	closed back
m/ss35	01703-00-00 01703-50-00	closed back sew-on settings, closed back
m/ss40	01702-00-00 01702-50-00	closed back sew-on settings, closed back

[< Sitemap](#)



Settings with prongs: **Round**

Open search
window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
ss48

Size	Product code	Type
ss12	00211-00-00	closed back
	00211-10-00	open back
	00211-40-00	sew-on settings, open back (4x1)
ss15	00212-00-00	closed back
	00212-10-00	open back
	00212-40-00	sew-on settings, open back (4x1)
pp32	01689-00-00	closed back
	01689-10-00	open back
	01689-40-00	sew-on settings, open back (4x1)
ss18	00206-00-00	closed back
	00206-10-00	open back
	00206-40-00	sew-on settings, open back (4x1)
ss19	00213-00-00	closed back
	00213-10-00	open back
	00213-40-00	sew-on settings, open back
	00213-50-00	sew-on settings, closed back (4x1)
ss20	01714-00-00	closed back
	01714-10-00	open back
	01714-40-00	sew-on settings, open back (4x1)
ss25	00214-00-00	closed back
	00214-10-00	open back
	00214-40-00	sew-on settings, open back (4x1)
ss29	01713-00-00	closed back
	01713-10-00	open back
	01713-40-00	sew-on settings, open back
ss30	00215-00-00	closed back
	00215-10-00	open back
	00215-40-00	sew-on settings, open back
	00215-50-00	sew-on settings, closed back

< [Sitemap](#)



Settings with prongs: **Round**

Open search
window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
ss48

Size	Product code	Type
ss35	00216-00-00	closed back
	00216-10-00	open back
	00216-40-00	sew-on settings, open back
ss40	00217-00-00	closed back
	00217-10-00	open back
	00217-40-00	sew-on settings, open back
	00217-50-00	sew-on settings, closed back
ss45	00218-00-00	closed back
	00218-10-00	open back
	00218-40-00	sew-on settings, open back
ss47	01574-00-00	closed back
	01574-10-00	open back
	01574-40-00	sew-on settings, open back
ss48	00333-00-00	closed back
	00333-10-00	open back
	00333-40-00	sew-on settings, open back
ss50	00219-00-00	closed back
	00219-10-00	open back
	00219-40-00	sew-on settings, open back
ss51	00522-00-00	closed back
	00522-10-00	open back
	00522-40-00	sew-on settings, open back (4x1)
ss60	00220-00-00	closed back
	00220-10-00	open back
	00220-40-00	sew-on settings, open back

[◀ Sitemap](#)



Settings with prongs: **Round**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
27 mm

Size	Product code	Type
20 mm	01178-00-00	closed back
	01178-10-00	open back
	01178-40-00	sew-on settings, open back
20 mm	51695-00-00	closed back
	51695-10-00	open back
22 mm	01207-00-00	closed back
	01207-10-00	open back
	01207-40-00	sew-on settings, open back
25 mm	01267-00-00	closed back
	01267-10-00	open back
	01267-40-00	sew-on settings, open back
25 mm	51167-00-00	closed back
	51167-10-00	open back
27 mm	01550-00-00	closed back
	01550-10-00	open back
	01550-40-00	sew-on settings, open back
28 mm	51639-00-00	closed back
	51639-10-00	open back
32 mm	50822-00-00	closed back
	50822-10-00	open back
35 mm	01573-00-00	closed back
	01573-10-00	open back
	01573-40-00	sew-on settings, open back
35 mm	51003-00-00	closed back
	51003-10-00	open back





Settings with prongs: **Round RIVOLI**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
14 mm

Size	Product code	Type
ss40	01602-00-00	closed back
	01602-10-00	open back
	01602-40-00	sew-on settings, open back
ss47	01579-00-00	closed back
	01579-10-00	open back
	01579-40-00	sew-on settings, open back
10 mm	01704-00-00	closed back
	01704-10-00	open back
	01704-40-00	sew-on settings, open back
12 mm	01361-00-00	closed back
	01361-10-00	open back
	01361-40-00	sew-on settings, open back
14 mm	01360-00-00	closed back
	01360-10-00	open back
	01360-40-00	sew-on settings, open back
16 mm	01359-00-00	closed back
	01359-10-00	open back
	01359-40-00	sew-on settings, open back
18 mm	01357-00-00	closed back
	01357-10-00	open back
	01357-40-00	sew-on settings, open back

< [Sitemap](#)
















French settings: **Round**

Open search window:
Ctrl + F



closed back

The picture show
the item in size
ss45

Size	Product code	Type	
ss8	01049-00-00	closed back	
ss12	00970-00-00 59012-00-00	closed back closed back	
ss15	00300-00-00 59015-00-00	closed back closed back	
pp32	59017-00-00	closed back	
ss19	00301-00-00	closed back	
ss19/20	59020-00-00	closed back	
S 25	00302-00-00 59025-00-00	closed back closed back	
ss30	00304-00-00 59030-00-00	closed back closed back	
ss35	00306-00-00 59035-00-00	closed back closed back	
ss40	00308-00-00 59040-00-00	closed back closed back	
ss45	00309-00-00 59045-00-00	closed back closed back	
ss48	00390-00-00 59048-00-00	closed back closed back	
ss60	00556-00-00 59060-00-00	closed back closed back	
ss63	59063-00-00	closed back	
ss70	59070-00-00	closed back	

[< Sitemap](#)



French settings: **Round**

Open search window:
Ctrl + F



closed back



open back

The picture shows
the item in size
15 mm

Size	Product code	Type
15 mm	00315-00-00	closed back
	00315-10-00	open back
17 mm	00317-00-00	closed back
	00317-10-00	open back
18 mm	00318-00-00	closed back
	00318-10-00	open back
25 mm	00325-00-00	closed back
	00325-10-00	open back

< [Sitemap](#)



Stone caps: **Round**

Open search window:
Ctrl + F



The picture show
the item in size
ss47

Size	Product code	Type
ss15	01070-00-00	millgrain
ss19	00530-00-00	
ss19	00443-00-00	millgrain
ss25	00510-00-00	
ss30	01611-00-00	
ss30	01494-00-00	millgrain
ss30	00498-00-00	
ss33	00414-00-00	
ss35	00499-00-00	
ss40	01607-00-00	
ss40	00486-00-00	
ss45	00501-00-00	
ss47	00489-00-00	
9 mm	00500-00-00	
12,5 mm	00523-00-00	

[< Sitemap](#)



Stone caps: **Round RIVOLI**

Open search window:
Ctrl + F



The picture show
the item in size
12 mm

Size	Product code	Type
ss29	00595-00-00	
ss39	00496-00-00	
ss47	00497-00-00	
12 mm	00371-00-00	
14 mm	00372-00-00	
15 mm	01235-00-00	
17 mm	01236-00-00	

< [Sitemap](#)



Rosetten: **Round**

Open search window:
Ctrl + F



The picture show
the item in size
ss40

Size	Product code	Type
pp18	01497-00-00	
ss19	00538-00-00	
ss24	00518-00-00	
ss30	00519-00-00	
ss35	00529-00-00	
ss40	00584-00-00	

ROSETTENKUGEL: **Round**



The picture show
the item in size
ss19

Size	Product code	Type
pp18	01542-00-00	
ss19	01483-00-00	

< [Sitemap](#)



Crown settings: Round

Open search window:
Ctrl + F



closed back



open back



The picture shows
the item in size
15 mm

Size	Product code	Type		
9 mm	50514-00-00	closed back		
	50514-10-00	open back		
10 mm	50515-00-00	closed back		
	50515-10-00	open back		
11 mm	50516-00-00	closed back		
	50516-10-00	open back		
12 mm	50517-00-00	closed back		
	50517-10-00	open back		
13 mm	50518-00-00	closed back		
	50518-10-00	open back		
14 mm	50519-00-00	closed back		
	50519-10-00	open back		
15 mm	00467-00-00	closed back		
	00467-10-00	open back		
	50520-00-00	closed back		
	50520-10-00	open back		
16 mm	50521-00-00	closed back		
	50521-10-00	open back		
17 mm	50522-00-00	closed back		
	50522-10-00	open back		
18 mm	00512-00-00	closed back		
	00512-10-00	open back		
	50523-00-00	closed back		
50523-10-00	open back			
19 mm	50524-00-00	closed back		
	50524-10-00	open back		
20 mm	00526-00-00	closed back		
	00526-10-00	open back		
	50525-00-00	closed back		
50525-10-00	open back			
21 mm	50526-00-00	closed back		
	50526-10-00	open back		

[◀ Sitemap](#)



Crown settings: Round

Open search window:
Ctrl + F



closed back
















open back



closed back

The picture shows
the item in size
15 mm

Size	Product code	Type	
22 mm	50527-00-00	closed back	
	50527-10-00	open back	
23 mm	50528-00-00	closed back	
	50528-10-00	open back	
24 mm	00415-00-00	closed back	
	00415-10-00	open back	
24 mm	50529-00-00	closed back	
	50529-10-00	open back	
25 mm	01487-00-00	closed back	
25 mm	50530-00-00	closed back	
	50530-10-00	open back	
26 mm	50531-00-00	closed back	
	50531-10-00	open back	
27 mm	00374-00-00	closed back	
	00374-10-00	open back	
27 mm	50532-00-00	closed back	
	50532-10-00	open back	
28 mm	50533-00-00	closed back	
	50533-10-00	open back	
29 mm	50534-00-00	closed back	
	50534-10-00	open back	
30 mm	50535-00-00	closed back	
	50535-10-00	open back	
31 mm	50536-00-00	closed back	
	50536-10-00	open back	
32 mm	00368-00-00	closed back	
	00368-10-00	open back	
33 mm	50538-00-00	closed back	
	50538-10-00	open back	
34 mm	50539-00-00	closed back	
35 mm	50540-00-00	closed back	

[< Sitemap](#)



Crown settings: **Round**

Open search window:
Ctrl + F



closed back



open back



closed back

The picture shows
the item in size
18 mm

Size

Product code

Type

36 mm

50541-00-00

closed back



37 mm

50542-00-00

closed back



38 mm

50543-00-00

closed back



40 mm

50543-10-00

closed back



43 mm

50544-00-00

closed back



[< Sitemap](#)













Flatback settings: **Round**

Open search window:
Ctrl + F



with ring

The picture shows
the item in size
8 mm
9 mm with ring

Size	Product code	Type	
2,2 mm	00273-00-00	millgrain	
2,5 mm	00362-00-00	millgrain	
3 mm	00274-00-00	millgrain	
	52352-00-00	millgrain	
4,3 mm	52074-00-00	millgrain	
5 mm	00275-00-00	millgrain	
	01100-00-00	flat	
	00460-00-00	Gezackt	
	51351-00-00	millgrain	
6 mm	00355-00-00	millgrain	
	00276-00-00	gezackt	
	51651-00-00	millgrain	
6,7 mm	01311-00-00	millgrain	
7,5 mm	00758-00-00		
8 mm	00356-00-00	millgrain	
	00356-01-00	flat	
	50555-00-00	millgrain	
9 mm	00745-00-00	millgrain	
	00745-30-00	millgrain, with ring	
	52354-00-00	millgrain	
	52000-00-00	millgrain	
	52001-00-00	millgrain, with ring	
9,6 mm	01278-00-00	millgrain	
10 mm	00357-00-00	millgrain	
	51706-00-00	millgrain	
11 mm	00278-00-00	millgrain	
	51311-00-00	millgrain	
12 mm	00279-00-00	millgrain	
	50556-00-00	flat	
12,5 mm	51536-00-00	millgrain	

< [Sitemap](#)



Flatback settings: **Round**

Open search window:
Ctrl + F



with ring

The picture shows
the item in size
15 mm
15 mm with ring

Size	Product code	Type	
13 mm	00280-00-00	millgrain	
	51593-00-00	millgrain	
14 mm	00281-00-00	millgrain	
	00281-01-00	flat	
	50557-00-00	millgrain	
15 mm	00282-00-00	millgrain	
	00373-00-00	millgrain, with ring	
	51737-00-00	millgrain	
16 mm	00283-00-00	millgrain	
	52291-00-00	millgrain	
	51033-00-00	millgrain, with ring	
17 mm	00284-00-00	millgrain	
17,2 mm	01268-00-00	millgrain	
18 mm	00285-00-00	millgrain	
	50558-00-00	millgrain	
	51594-00-00	millgrain, with ring	
20 mm	00286-00-00	millgrain	
	51312-00-00	flat	
21 mm	51802-00-00	millgrain	
	51771-00-00	millgrain	
22 mm	50559-00-00	millgrain	
23 mm	51754-00-00	millgrain	
23,5 mm	51876-00-00	flat	
24 mm	01271-00-00	millgrain	
25 mm	00684-00-00	millgrain	
	50630-00-00	flat	
	51580-00-00	millgrain	
27 mm	00654-00-00	millgrain	
28 mm	01329-00-00	flat	
29 mm	01328-00-00	flat	

[< Sitemap](#)







Flatback settings: **Round**

Open search window:
Ctrl + F



The picture show
the item in size
15 mm

Size	Product code	Type	
29,5 mm	51071-01-00	flat	
30 mm	01564-00-00	millgrain	
	52207-00-00	millgrain	
31 mm	01498-00-00	flat	
35 mm	00866-00-00	millgrain	
	51516-00-00	millgrain	
40 mm	01358-00-00	millgrain	
45 mm	01341-00-00	millgrain	
	52238-00-00	millgrain	
50 mm	01402-00-00	millgrain	
60 mm	01343-00-00	millgrain	
80 mm	01345-00-00	millgrain	

< [Sitemap](#)



Settings with rings: **Round**

Open search window:
Ctrl + F



1 ring



2 ring across



2 ring side by side



3 ring



4 ring

The picture shows
the item in size
ss40

Size	Product code	Type
ss19	01063-10-00	1 ring
	01063-20-00	2 ring – across
	01063-21-00	2 ring – side by side
	01063-30-00	3 ring
	01063-40-00	4 ring
ss19	50450-10-00	1 ring
	50450-20-00	2 ring – across
	50450-21-00	2 ring – side by side
	50450-30-00	3 ring
	50450-40-00	4 ring
ss24	50451-10-00	1 ring
	50451-20-00	2 ring – across
	50451-21-00	2 ring – side by side
	50451-30-00	3 ring
	50451-40-00	4 ring
ss25	01062-10-00	1 ring
	01062-20-00	2 ring – across
	01062-21-00	2 ring – side by side
	01062-30-00	3 ring
	01062-40-00	4 ring
ss30	01056-10-00	1 ring
	01056-20-00	2 ring – across
	01056-21-00	2 ring – side by side
	01056-30-00	3 ring
	01056-40-00	4 ring
ss30	50452-10-00	1 ring
	50452-20-00	2 ring – across
	50452-21-00	2 ring – side by side
	50452-30-00	3 ring
	50452-40-00	4 ring



[◀ Sitemap](#)



Settings with rings: **Round**

Open search window:
Ctrl + F



1 ring



2 ring across



2 ring side by side



3 ring



4 ring

The picture shows
the item in size
ss40

Size	Product code	Type
ss34	50453-10-00	1 ring
	50453-20-00	2 ring – across
	50453-21-00	2 ring – side by side
	50453-30-00	3 ring
	50453-40-00	4 ring
ss40	01054-10-00	1 ring
	01054-20-00	2 ring – across
	01054-21-00	2 ring – side by side
	01054-30-00	3 ring
	01054-40-00	4 ring
ss45	50455-10-00	1 ring
	50455-20-00	2 ring – across
	50455-21-00	2 ring – side by side
	50455-30-00	3 ring
	50455-40-00	4 ring
ss48	50456-10-00	1 ring
	50456-20-00	2 ring – across
	50456-21-00	2 ring – side by side
	50456-30-00	3 ring
	50456-40-00	4 ring
ss60	50457-10-00	1 ring
	50457-20-00	2 ring – across
	50457-21-00	2 ring – side by side
	50457-30-00	3 ring
	50457-40-00	4 ring



[◀ Sitemap](#)



Settings with rings: **Round**

Open search window:
Ctrl + F



1 ring



2 ring



3 ring



4 ring

Size

Product code

Type

13,5 mm

50637-10-00
50637-20-00
50637-30-00
50637-40-00

1 ring
2 ring
3 ring
4 ring



14 mm

50643-10-00
50643-20-00
50643-30-00
50643-40-00

1 ring
2 ring
3 ring
4 ring



18 mm

50638-10-00
50638-20-00
50638-30-00
50638-40-00

1 ring
2 ring
3 ring
4 ring



22 mm

50639-10-00
50639-20-00
50639-30-00
50639-40-00

1 ring
2 ring
3 ring
4 ring



[< Sitemap](#)



Settings with prongs: **OVAL**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
6/4	01537-00-00	closed back
	01537-10-00	open back
	01537-40-00	sew-on settings, open back (2x1)
8/6	00221-00-00	closed back
	00221-10-00	open back
	00221-40-00	sew-on settings, open back
	01642-00-00	closed back
	01642-10-00	open back
	01642-40-00	sew-on settings, open back
10/5,5	01690-00-00	closed back
	01690-10-00	open back
	01690-40-00	sew-on settings, open back
10/8	00222-00-00	closed back
	00222-10-00	open back
	00222-40-00	sew-on settings, open back
12/8	00223-00-00	closed back
	00223-10-00	open back
12/10	00224-00-00	closed back
	00224-10-00	open back
	00224-40-00	sew-on settings, open back
14/7,5	01691-00-00	closed back
	01691-10-00	open back
	01691-40-00	sew-on settings, open back
14/10	00225-00-00	closed back
	00225-10-00	open back
	00225-40-00	sew-on settings, open back
14/10,5	01643-00-00	closed back
	01643-10-00	open back
	01643-40-00	sew-on settings, open back
14/11	01654-00-00	closed back
	01654-10-00	open back
	01654-40-00	sew-on settings, open back
16/12	00502-00-00	closed back
	00502-10-00	open back

[< Sitemap](#)



Settings with prongs: **OVAL**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
18/9,5	01692-00-00	closed back
	01692-10-00	open back
	01692-40-00	sew-on settings, open back
18/13	00226-00-00	closed back
	00226-10-00	open back
	00226-40-00	sew-on settings, open back
18/13,5	01644-00-00	closed back
	01644-10-00	open back
	01644-40-00	sew-on settings, open back
18/14	01655-00-00	closed back
	01655-10-00	open back
	01655-40-00	sew-on settings, open back
20/15	00525-00-00	closed back
	00525-10-00	open back
	00525-40-00	sew-on settings, open back
23/20	01592-00-00	closed back
	01592-10-00	open back
	01592-40-00	sew-on settings, open back
25/18	01046-00-00	closed back
	01046-10-00	open back
	01046-40-00	sew-on settings, open back
30/22	51370-00-00	closed back
	51370-10-00	open back
	01539-00-00	closed back
30/26	01539-10-00	open back
	01539-40-00	sew-on settings, open back
	51626-00-00	closed back
30/26	51626-10-00	open back
	01591-00-00	closed back
	01591-10-00	open back
34/26	01591-40-00	sew-on settings, open back
	51631-00-00	closed back
	51631-10-00	open back



< [Sitemap](#)



Settings with prongs: **OVAL**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
39/28	01565-00-00	closed back
	01565-10-00	open back
	01565-40-00	sew-on settings, open back
40/30	01237-00-00	closed back
	01237-10-00	open back
40/30	51602-00-00	closed back
	51602-10-00	open back



closed back



open back



sew-on settings

The picture shows
the item in size
27/9 mm

Size	Product code	Type
15/5	00227-00-00	closed back
	00227-10-00	open back
	00227-40-00	sew-on settings, open back
21/7	01541-00-00	closed back
	01541-10-00	open back
	01541-40-00	sew-on settings, open back
27/9	00228-00-00	closed back
	00228-10-00	open back
	00228-40-00	sew-on settings, open back

< [Sitemap](#)



Crown settings: OVAL

Open search window:
Ctrl + F



closed back



open back



The picture shows
the item in size
18/13 mm

Size	Product code	Type	
13/10	50500-00-00	closed back	
	50500-10-00	open back	
14/10	51407-00-00	closed back	
	51407-10-00	open back	
16/11	00610-00-00	closed back	
	50501-00-00	closed back	
	50501-10-00	open back	
17/10	50502-00-00	closed back	
	50502-10-00	open back	
18/13	00365-00-00	closed back	
	00365-10-00	open back	
	50503-00-00	closed back	
	50503-10-00	open back	
20/15	51759-00-00	closed back	
	51759-10-00	open back	
	01069-00-00	closed back	
22/14	50504-00-00	closed back	
	50504-10-00	open back	
	50505-00-00	closed back	
24/10	50505-10-00	open back	
	51689-00-00	closed back	
25/13	51384-00-00	closed back	
25/18	00354-00-00	closed back	
	00354-10-00	open back	
	50506-00-00	closed back	
26/20	50506-10-00	open back	
	50507-00-00	closed back	
	50507-10-00	open back	
30/15	51652-00-00	closed back	

[< Sitemap](#)



Crown settings: OVAL

Open search window:
Ctrl + F



closed back



open back



closed back

The picture shows
the item in size
18/13 mm

Size	Product code	Type	
30/22	00352-00-00	closed back	
	00352-10-00	open back	
	50508-00-00	closed back	
	50508-10-00	open back	
31/22	50508-02-00	closed back	
32/17	51652-01-00	closed back	
		closed back	
34/26	50509-00-00	closed back	
	52208-00-00	closed back	
36/25	50510-00-00	closed back	
	50510-10-00	open back	
37/23	50510-02-00	closed back	
40/30	00464-00-00	closed back	
	00464-10-00	open back	
	50512-00-00	closed back	
	50512-10-00	open back	
45/21	51702-00-00	closed back	
		open back	
48/20	50511-00-00	closed back	
59/43	50511-02-00	closed back	
	50513-00-00	closed back	
		open back	

[< Sitemap](#)



Flatback settings: OVAL

Open search window:
Ctrl + F



with ring



with ring

The picture shows
the item in size
25/18 mm
25/18 with ring
18/13 with ring

Size	Product code	Type	
5/3	01071-00-00	flat	
6/4	01324-00-00	millgrain	
	01324-30-00	millgrain, with ring	
7,5/5,5	50545-00-00	millgrain	
8/6	00753-00-00	millgrain	
	00753-30-00	millgrain, with ring	
	52215-00-00		
10/5	51694-00-00		
10/5,5	01014-00-00	millgrain	
	01014-30-00	millgrain, with ring	
10/8	00754-00-00	millgrain	
	00754-30-00	millgrain, with ring	
	51696-00-00	millgrain	
	51942-00-00	with ring	
11/7	00288-00-00	millgrain	
11,5/9	50546-00-00	millgrain	
12/10	00755-00-00	millgrain	
	00755-30-00	millgrain, with ring	
	52355-00-00		
12,5/9,5	00941-00-00	millgrain	
14/7	50548-00-00	millgrain	
14/10	00856-00-00	millgrain	
	00856-30-00	millgrain, with ring	
	50547-00-00	millgrain	
	50831-00-00	flat, with ring	
14/11	50849-00-00	millgrain	
14/12	51021-00-00		
16/8	50549-00-00	millgrain	
16/12	51664-00-00		

< [Sitemap](#)



Flatback settings: OVAL

Open search window:
Ctrl + F



with ring

with ring

The picture shows
the item in size
25/18 mm
25/18 with ring
18/13 with ring

Size	Product code	Type	
17/9	51034-00-00	millgrain	
18/10	50550-00-00	millgrain	
18/13	00861-00-00	millgrain	
	00861-00-00	flat	
	00861-30-00	with ring	
	50551-00-00	millgrain	
20/10	51596-00-00	millgrain, with ring	
	51375-00-00	millgrain	
20/15	00289-00-00	millgrain	
	50832-00-00	flat, with ring	
21/8	51032-00-00	millgrain	
22/16	51674-00-00	millgrain	
24/14	50552-00-00	millgrain	
25/18	00871-00-00	millgrain	
	50553-00-00	millgrain	
	50628-00-00	flat	
	52305-00-00	millgrain, with ring	
25/20	00944-00-00	millgrain	
26/11	52325-00-00	millgrain	
26/19	01275-00-00	millgrain	
30/20	52234-00-00	millgrain	
	52266-00-00	millgrain	
30/22	52266-00-00	millgrain	
30/25	00290-00-00	millgrain	
34/26	01372-00-00	millgrain	
	52170-00-00	flat	
36/25	50629-00-00	flat	
36/27	51234-00-00	millgrain	
40/22	01229-00-00	millgrain	

[Sitemap](#)



Flatback settings: **OVAL**

Open search window:
Ctrl + F



with ring

with ring

The picture shows
the item in size
25/18
25/18 with ring
18/13 with ring

Size	Product code	Type
40/30	00860-00-00	millgrain
	51742-00-00	flat, with ring
	52306-00-00	flat, with ring
50/35	01332-00-00	millgrain
	51898-00-00	millgrain
59/25	52430-00-00	millgrain
59/43	52237-00-00	millgrain
60/44	01339-00-00	millgrain
80/54	01321-00-00	millgrain
100/75	01347-00-00	millgrain



[Sitemap](#)



Settings with prongs: **Navette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
15/7 mm

Size	Product code	Type
5/2,5	01632-00-00	closed back
	01632-10-00	open back
	01632-40-00	sew-on settings, open back (2x1)
6/3	01722-00-00	closed back
	01722-10-00	open back
	01722-40-00	sew-on settings, open back (2x1)
6/3 long prongs	00236-00-00	closed back
	00236-10-00	open back
	00236-40-00	sew-on settings, open back (2x1)
8/4	00237-00-00	closed back
	00237-10-00	open back
	00237-40-00	sew-on settings, open back
8/4 long prongs	01716-00-00	closed back
	01716-10-00	open back
	01716-40-00	sew-on settings, open back
10/3	00242-00-00	closed back
10/5	00238-00-00	closed back
	00238-10-00	open back
	00238-40-00	sew-on settings, open back
10/5 long prongs	01700-00-00	closed back
	01700-10-00	open back
	01700-40-00	sew-on settings, open back
10/8	01619-00-00	closed back
	01619-10-00	open back
	01619-40-00	sew-on settings, open back
11/3	00392-00-00	closed back
	00392-50-00	sew-on settings, closed back
12/6	00239-00-00	closed back
	00239-10-00	open back
	00239-40-00	sew-on settings, open back
14/11	01620-00-00	closed back
	01620-10-00	open back
	01620-40-00	sew-on settings, open back
15/3,5	00243-00-00	closed back

< [Sitemap](#)



Settings with prongs: **Navette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
15/7 mm

Size	Product code	Type
15/4	00487-00-00	closed back
	00487-10-00	open back
	00487-40-00	sew-on settings, open back
	00487-50-00	sew-on settings closed back
15/7	00394-00-00	closed back
	00394-10-00	open back
	00394-40-00	sew-on settings, open back
15/7 long prongs	01701-00-00	closed back
	01701-10-00	open back
	01701-40-00	sew-on settings, open back
18/5	00244-00-00	closed back
	00244-10-00	open back
18/9	00240-00-00	closed back
	00240-10-00	open back
23/18	01621-00-00	closed back
	01621-10-00	open back
	01621-40-00	sew-on settings, open back
24/6	00245-00-00	closed back
	00245-10-00	open back
27/13,5	00241-00-00	closed back
	00241-10-00	open back
28/9	00246-00-00	closed back
	00246-10-00	open back
32/12	00351-00-00	closed back
	00351-10-00	open back
32/17	01546-00-00	closed back
	01546-10-00	open back
	01546-40-00	sew-on settings, open back
35/9,5	01590-00-00	closed back
	01590-10-00	open back
	01590-40-00	sew-on settings, open back
40/10	00395-00-00	closed back
	00395-10-00	open back
40/15	00324-00-00	closed back
	00324-10-00	open back

[◀ Sitemap](#)



Settings with prongs: **Navette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
15/7 mm

Size	Product code	Type
48/13	01589-00-00	closed back
	01589-10-00	open back
	01589-40-00	sew-on settings, open back
60/22	51793-00-00	closed back
	51793-10-00	open back



< [Sitemap](#)



Settings with prongs: **Navette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
19/12 mm

Size	Product code	Type
10/8	00458-00-00	closed back
	00458-10-00	open back
14/9	01628-00-00	closed back
	01628-10-00	open back
	01628-40-00	sew-on settings, open back
15/11	00459-00-00	closed back
	00459-10-00	open back
18/9	00434-00-00	closed back
	00434-10-00	open back
18/13	00375-00-00	closed back
	00375-10-00	open back
19/12	01629-00-00	closed back
	01629-10-00	open back
	01629-40-00	sew-on settings, open back
23/15	01630-00-00	closed back
	01630-10-00	open back
	01630-40-00	sew-on settings, open back
40/28	52396-00-00	closed back
	52396-10-00	open back





Settings with prongs: **Navette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
23/18 mm

Size	Product code	Type
10/8	01619-00-00	closed back
	01619-10-00	open back
	01619-40-00	sew-on settings, open back
14/11	01620-00-00	closed back
	01620-10-00	open back
	01620-40-00	sew-on settings, open back
23/18	01621-00-00	closed back
	01621-10-00	open back
	01621-40-00	sew-on settings, open back

< [Sitemap](#)








Crown settings: **Navette**

Open search window:
Ctrl + F



The picture show
the item in size
27/8 mm

20/7	52145-00-00	closed back	
20/10	50603-00-00	closed back	
21/6	51805-00-00	closed back	
27/8	51577-00-00	closed back	
32/21	51707-00-00	closed back	
40/15	00326-00-00	closed back	
55/15	00327-00-00	closed back	

< [Sitemap](#)



Flatback settings: **Navette**

Open search window:
Ctrl + F



The picture show
the item in size
19/6

8/4	51026-00-00	millgrain	
10/5	51271-00-00	millgrain	
12/6	51714-00-00	millgrain	
15/7	51267-00-00	millgrain	
15/7	01302-00-00	millgrain, Spitzen abgerundet	
17/8	51035-00-00	millgrain	
18/5	52387-00-00	millgrain	
18/9	51716-00-00	millgrain	
19/6	00511-00-00	millgrain	
22/8	51029-00-00	millgrain, 4 Krallen	
26/8	51770-00-00	millgrain, 4 Krallen	
27/8	52385-00-00	millgrain	
32x12	50584-00-00	millgrain	
27/14	51676-00-00	millgrain	
33/21,5	52419-00-00	millgrain	
42/20	50585-00-00	millgrain	
55/15	52413-00-00	millgrain	
55/16	01371-00-00	millgrain	
60/12	01433-00-00	millgrain	
58,5/25	01367-00-00	flat	

[< Sitemap](#)



Settings with prongs: Pear


Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
13/7,8 mm

Size	Product code	Type
6/3,6	00247-00-00 00247-50-00	closed back sew-on settings, closed back (2x1)
8/4,8	00248-00-00 00248-10-00 00248-40-00	closed back open back sew-on settings, open back
10/6	00249-00-00 00249-10-00 00249-40-00	closed back open back sew-on settings, open back
13/7,8	00250-00-00 00250-10-00 00250-40-00	closed back open back sew-on settings, open back
11/3	01626-00-00 01626-10-00 01626-40-00	closed back open back sew-on settings, open back
15/4,2	01637-00-00 01637-10-00 01637-40-00	closed back open back sew-on settings, open back
20/5,5	01638-00-00 01638-10-00 01638-40-00	closed back open back sew-on settings, open back
22/6	01320-00-00 01320-10-00	closed back open back
30/8,3	01639-00-00 01639-10-00 01639-40-00	closed back open back sew-on settings, open back



Settings with prongs: Pear

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
6/4	01631-00-00	closed back
	01631-10-00	open back
	01631-40-00	sew-on settings, open back (2x1)
8/6	01572-00-00	closed back
	01572-10-00	open back
	01572-40-00	sew-on settings, open back
10/5	01684-00-00	closed back
	01684-10-00	open back
	01684-40-00	sew-on settings, open back
10/7	00981-00-00	closed back
	00981-10-00	open back
	00981-40-00	sew-on settings, open back
13/8	01279-00-00	closed back
	01279-10-00	open back
	01279-40-00	sew-on settings, open back
14/7	01685-00-00	closed back
	01685-10-00	open back
	01685-40-00	sew-on settings, open back
14/10	00251-00-00	closed back
	00251-10-00	open back
	00251-40-00	sew-on settings, open back
15/11	00599-00-00	closed back
	00599-10-00	open back
	00599-40-00	sew-on settings, open back
16/10	51343-00-00	closed back
	51343-10-00	open back
18/9	01686-00-00	closed back
	01686-10-00	open back
	01686-40-00	sew-on settings, open back
18/11	00255-00-00	closed back
	00255-10-00	open back
18/13	00252-00-00	closed back
	00252-10-00	open back
	00252-40-00	sew-on settings, open back



[< Sitemap](#)



Settings with prongs: Pear

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
20/15	00988-00-00	closed back
	00988-10-00	open back
	00988-40-00	sew-on settings, open back
22/11	01687-00-00	closed back
	01687-10-00	open back
	01687-40-00	sew-on settings, open back
25/12	00397-00-00	closed back
	00397-10-00	open back
25/14	00463-00-00	closed back
	00463-10-00	open back
25/18	00253-00-00	closed back
	00253-10-00	open back
	0025340-00	sew-on settings, open back
30/15	01688-00-00	closed back
	01688-10-00	open back
	01688-40-00	sew-on settings, open back
30/20	01545-00-00	closed back
	01545-10-00	open back
	01545-40-00	sew-on settings, open back
38/22	00256-00-00	closed back
	00256-10-00	open back
38/25	51622-00-00	closed back
	51622-10-00	open back
40/27	01566-00-00	closed back
	01566-10-00	open back
	01566-40-00	sew-on settings, open back
40/30	00254-00-00	closed back
	00254-10-00	open back





Settings with prongs: Pear

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
22x11 mm

Size	Product code	Type
10/5	01684-00-00	closed back
	01684-10-00	open back
	01684-40-00	sew-on settings, open back
14/7	01685-00-00	closed back
	01685-10-00	open back
	01685-40-00	sew-on settings, open back
18/9	01686-00-00	closed back
	01686-10-00	open back
	01686-40-00	sew-on settings, open back
22/11	01687-00-00	closed back
	01687-10-00	open back
	01687-40-00	sew-on settings, open back
30/15	01688-00-00	closed back
	01688-10-00	open back
	01688-40-00	sew-on settings, open back

< [Sitemap](#)



Settings with prongs: Pear

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
20/5,5 mm

Size	Product code	Type
8/7	01719-00-00	closed back
	01719-10-00	open back
	01719-40-00	sew-on settings, open back
10/8,7	01720-00-00	closed back
	01720-10-00	open back
	01720-40-00	sew-on settings, open back
14/12,1	01721-00-00	closed back
	01721-10-00	open back
	01721-40-00	sew-on settings, open back

[< Sitemap](#)



Settings with prongs: Pear

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
20/5,5 mm

Size	Product code	Type
11/3	01626-00-00	closed back
	01626-10-00	open back
	01626-40-00	sew-on settings, open back
15/4,2	01637-00-00	closed back
	01637-10-00	open back
	01637-40-00	sew-on settings, open back
20/5,5	01638-00-00	closed back
	01638-10-00	open back
	01638-40-00	sew-on settings, open back
30/8,3	01639-00-00	closed back
	01639-10-00	open back
	01639-40-00	sew-on settings, open back

< [Sitemap](#)



Crown settings: Pear

Open search window:
Ctrl + F



closed back

Size	Product code	Type
40/30	51851-00-00	closed back



Flatback settings: Pear



The picture show
the item in size
25/18

Size	Product code	Type
6/4	01072-00-00	flat
13/8,5	01313-00-00	millgrain
14/10	01312-00-00	millgrain
18/13	01287-00-00	millgrain
18/13	01242-00-00	millgrain
25/18	01469-00-00	millgrain
26/16	01270-00-00	millgrain
32/20,5	01284-00-00	millgrain
37/24	01290-00-00	millgrain

[< Sitemap](#)



Settings with rings: Pear

Open search window:
Ctrl + F



1 ring



2 ring

The picture shows
the item in size
13/7,8 mm


Size	Product code	Type
8/4,8	01080-10-00	1 ring
	01080-20-00	2 ring
10/6	01082-10-00	1 ring
	01082-20-00	2 ring
13/7,8	01064-10-00	1 ring
	01064-20-00	2 ring

< [Sitemap](#)




Settings with prongs: **Square**


Open search window:
Ctrl + F



closed back



open back



sew-on settings


The picture shows
the item in size
12x12 mm

Size	Product code	Type
4/4	00468-00-00	closed back
	00468-10-00	open back
	00468-40-00	sew-on settings, open back (4x1)
5/5	00264-00-00	closed back
	00264-10-00	open back
	00264-40-00	sew-on settings, open back (4x1)
6/6	00379-00-00	closed back
	00379-10-00	open back
	00379-40-00	sew-on settings, open back
8/8	00265-00-00	closed back
	00265-10-00	open back
	00265-40-00	sew-on settings, open back
8/8	01636-00-00	closed back
	01636-10-00	open back
	01636-40-00	sew-on settings, open back
10/10	00266-00-00	closed back
	00266-10-00	open back
	00266-40-00	sew-on settings, open back
12x12	01540-00-00	closed back
	01540-10-00	open back
	01540-40-00	sew-on settings, open back
14/14	00483-00-00	closed back
	00483-10-00	open back
	00483-40-00	sew-on settings, open back
16/16	00363-00-00	closed back
	00363-10-00	open back
	00363-40-00	sew-on settings, open back
18/18	00267-00-00	closed back
	00267-10-00	open back
	00267-40-00	sew-on settings, open back




Crown settings: **Square**

Open search window:
Ctrl + F



The picture show
the item in size
8/8 mm




The picture show
the item in size
37/37 mm

Size	Product code	Type	
8/8	51955-00-00	closed back	
10/10	51853-00-00	closed back	
12/12	51854-00-00	closed back	
37/37	50610-00-00	closed back	

Settings with rings: **Square**



1 ring



2 ring



3 ring



4 ring

Size	Product code	Type
6/6	01087-10-00 01087-20-00 01087-30-00 01087-40-00	1 ring 2 ring 3 ring 4 ring



Flatback settings: **Square**

Open search window:
Ctrl + F



The picture show
the item in size
20/20 mm

Size	Product code	Type	
4/4	01101-00-00	flat	
5/5	00350-00-00	flat	
6/6	01269-00-00	millgrain	
7/7	00292-00-00	millgrain	
8/8	51445-00-00	millgrain	
9,5/9,5	00466-00-00	flat	
10/10	00349-00-00	flat	
12x12	01561-00-00	flat	
13/13	51698-00-00	millgrain	
14/14	00361-00-00	millgrain	
15/15	00346-00-00	flat	
16/16	50578-00-00	millgrain	
17/17	01255-00-00	millgrain	
18,5/18,5	00465-00-00	flat	
20/20	01560-00-00	flat	
22/22	51926-00-00	millgrain	
25/25	00660-00-00	millgrain	
30/30	01562-00-00	flat	
33/33	01400-00-00	millgrain	
38/38	52432-00-00	millgrain	

[< Sitemap](#)



Settings with prongs: **Rounded square**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
14x14 mm

Size	Product code	Type
8/8	01676-00-00	closed back
	01676-10-00	open back
	01676-40-00	sew-on settings, open back
10/10	01517-00-00	closed back
	01517-10-00	open back
	01517-40-00	sew-on settings, open back
	01677-00-00	closed back
	01677-10-00	open back
	01677-40-00	sew-on settings, open back
12/12	00268-00-00	closed back
	00268-10-00	open back
	00268-40-00	sew-on settings, open back
	01678-00-00	closed back
	01678-10-00	open back
	01678-40-00	sew-on settings, open back
14/14	00269-00-00	closed back
	00269-10-00	open back
	00269-40-00	sew-on settings, open back
	01679-00-00	closed back
	01679-10-00	open back
	01679-40-00	sew-on settings, open back
18/18	00270-00-00	closed back
	00270-10-00	open back
	00270-40-00	sew-on settings, open back
22/22	50179-00-00	closed back
	50179-10-00	open back
27/27	01729-00-00	closed back
	01729-10-00	open back
	01729-40-00	sew-on settings, open back
30/30	00271-00-00	closed back
	00271-10-00	open back
	50828-00-00	closed back
	50828-10-00	open back



[◀ Sitemap](#)





Crown settings: **Rounded square**

Open search window:
Ctrl + F




closed back

The picture show
the item in size
25/25 mm

Size	Product code	Type	
16/16	51371-00-00	closed back	
25/25	50605-00-00	closed back	



closed back

Size	Product code	Type	
28/26	50606-00-00	closed back	

[< Sitemap](#)



Flatback settings: **Rounded square**

Open search window:
Ctrl + F




The picture show
the item in size
13/13 mm

Size	Product code	Type	
6/6	01269-00-00	millgrain	
7/7	51811-00-00	millgrain	
11/11	51812-00-00	millgrain	
12/12	00439-00-00	millgrain	
13/13	00291-00-00	millgrain	
14/14	51813-00-00	millgrain	
18/18	51231-00-00	millgrain	
25/25	50616-00-00	flat	



The picture show
the item in size
27/20 mm


Size	Product code	Type	
9/7	51690-00-00		
15/11	01446-00-00	millgrain	
16/12	00403-00-00	millgrain	
16/14	51543-00-00	millgrain	
17/15	51818-00-00	millgrain	
19/15	51815-00-00	millgrain	
21/16	00401-00-00	millgrain	
27/20	01447-00-00	millgrain	
28/16	00521-00-00	millgrain	

[< Sitemap](#)



Settings with prongs: **Baguette**

Open search window:
Ctrl + F




closed back

The picture show
the item in size
7/3 mm


Size	Product code	Type
6/3	00376-00-00	closed back
7/2	00484-00-00	closed back
7/3	00377-00-00	closed back
10/3	00378-00-00	closed back



closed back



open back



sew-on settings

The picture shows
the item in size
10/5 mm

4/2	00389-00-00 00389-50-00	closed back sew-on settings, closed back
5/2	00257-00-00	closed back
5/2,5	00258-00-00 00258-50-00	closed back sew-on settings, closed back (2x1)
6/2	01635-00-00 01635-50-00	closed back sew-on settings, closed back
7/3	00259-00-00 00259-50-00	closed back sew-on settings, closed back
8/6	01633-00-00 01633-10-00 01633-40-00	closed back open back sew-on settings, closed back
10/3	00260-00-00 00260-40-00	closed back sew-on settings, closed back
10/5	00261-00-00 00261-10-00 00261-40-00	closed back open back sew-on settings, open back

[< Sitemap](#)



Settings with prongs: **Baguette**


Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
12/6	00262-00-00	closed back
	00262-10-00	open back
	00262-40-00	sew-on settings, open back
	01616-00-00	closed back
	01616-10-00	open back
	01616-40-00	sew-on settings, open back
14/10	01549-00-00	closed back
	01549-10-00	open back
	01549-40-00	sew-on settings, open back
16/8	01617-00-00	closed back
	01617-10-00	open back
	01617-40-00	sew-on settings, open back
18/13	01529-00-00	closed back
	01529-10-00	open back
	01529-40-00	sew-on settings, open back
20/15	00527-00-00	closed back
	00527-10-00	open back
23/11	01618-00-00	closed back
	01618-10-00	open back
	01618-40-00	sew-on settings, open back
40/30	52403-00-00	closed back
	52403-10-00	open back



[< Sitemap](#)



Settings with prongs: **Baguette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
24/8 mm

Size	Product code	Type
15/5	01525-00-00	closed back
	01525-10-00	open back
	01525-40-00	sew-on settings, open back
21/7	01530-00-00	closed back
	01530-10-00	open back
	01530-40-00	sew-on settings, open back
24/8	00263-00-00	closed back
	00263-10-00	open back
	00263-40-00	sew-on settings, open back
25/10	52404-00-00	closed back
	52404-10-00	open back
30/10	01538-00-00	closed back
	01538-10-00	open back
	01538-40-00	sew-on settings, open back
36/28	51753-00-00	closed back
	51753-10-00	open back



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
14/10	01575-00-00	closed back
	01575-10-00	open back
	01575-40-00	sew-on settings, open back
18/13	01576-00-00	closed back
	01576-10-00	open back
	01576-40-00	sew-on settings, open back

[< Sitemap](#)



Settings with prongs: **Baguette**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
14/8 mm

Size	Product code	Type
8/5	01613-00-00	closed back
	01613-10-00	open back
	01613-40-00	sew-on settings, open back
10/6	01614-00-00	closed back
	01614-10-00	open back
	01614-40-00	sew-on settings, open back
14/8	01615-00-00	closed back
	01615-10-00	open back
	01615-40-00	sew-on settings, open back

[< Sitemap](#)












Flatback settings: **Baguette**

Open search window:
Ctrl + F



The picture show
the item in size
24x16 mm

Size	Product code	Type	
9/6	51670-00-00	millgrain	
10/7	51036-00-00	millgrain	
10/8	01558-00-00	flat	
10/8	51662-00-00	millgrain	
11,5/ 10	50860-00-00	millgrain	
12/4	00446-00-00	flat	
14/10	01557-00-00	flat	
14,5/12	00480-00-00	millgrain	
15/10	00348-00-00	flat	
16/4	00447-00-00	flat	
16/7	00915-00-00	flat	
16/14	00331-00-00	millgrain	
18/5	50574-00-00	millgrain	
18/9	50575-00-00	millgrain	
18/13	52096-00-00	millgrain	
19/8,5	00364-00-00	flat	
19/13	00320-00-00	millgrain	
20/3,5	00934-00-00	millgrain	
20/5	00347-00-00	flat	
20/14	01556-00-00	flat	
20/15	50579-00-00	millgrain	
21/9	00293-00-00	flat	
24/16	01559-00-00	flat	
24/17	51827-00-00	millgrain	
30,5/25,5	01374-00-00	millgrain	
28/16	00521-00-00	millgrain	

[< Sitemap](#)







Flatback settings: **Baguette**

Open search window:
Ctrl + F



The picture show
the item in size
24x16 mm


Size	Product code	Type	
32/24	00472-00-00	millgrain	
37/7,5	51240-01-00	millgrain	
37/8	51240-00-00	millgrain	
38/15	01369-00-00	flat	
38/15	50613-00-00	flat	
45/20	01370-00-00	flat	
45/20	50586-00-00	millgrain	
50/10,5	01365-00-00	flat	
90/25	01395-00-00	millgrain	

[< Sitemap](#)



Settings with rings: **Baguette**

Open search window:
Ctrl + F



The picture shows
the item in size
6/4 mm

Size	Product code	Type
6/4	01086-10-00	1 ring
	01086-20-00	2 ring

[< Sitemap](#)




Settings with prongs: **Octagon**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
5/3	01223-00-00	closed back
6/4	00229-00-00	closed back
	00229-10-00	open back
	00229-40-00	sew-on settings, open back
7/5	01193-00-00	closed back
	01193-10-00	open back
	01193-40-00	sew-on settings, open back
8/4	00488-00-00	closed back
	00488-10-00	open back
	00488-40-00	sew-on settings, open back
8/6	00231-00-00	closed back
	00231-10-00	open back
	00231-40-00	sew-on settings, open back
10/5	00438-00-00	closed back
	00438-10-00	open back
	00438-40-00	sew-on settings, open back
10/8	00232-00-00	closed back
	00232-10-00	open back
	00232-40-00	sew-on settings, open back
12/6	00461-00-00	closed back
	00461-10-00	open back
12/10	00233-00-00	closed back
	00233-10-00	open back
	00233-40-00	sew-on settings, open back
14/10	00234-00-00	closed back
	00234-10-00	open back
	00234-40-00	sew-on settings, open back
18/13	00235-00-00	closed back
	00235-10-00	open back
	00235-40-00	sew-on settings, open back
	01586-00-00	closed back
	01586-10-00	open back
	01586-40-00	sew-on settings, open back
20/15	01571-00-00	closed back
	01571-10-00	open back
	01571-40-00	sew-on settings, open back

< [Sitemap](#)




Settings with prongs: **Octagon**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
18/13 mm

Size	Product code	Type
24/16	01306-00-00	closed back
	01306-10-00	open back
25/18	01048-00-00	closed back
	01048-10-00	open back
	01048-40-00	sew-on settings, open back
25/18	52130-00-00	closed back
	52130-10-00	open back
27/18,5	01526-00-00	closed back
	01526-10-00	open back
	01526-40-00	sew-on settings, open back
30/22	01185-00-00	closed back
	01185-10-00	open back
	01185-40-00	sew-on settings, open back
30/22	52399-00-00	closed back
	52399-10-00	open back
34/25	51615-00-00	closed back
	51615-10-00	open back
37/25,5	01567-00-00	closed back
	01567-10-00	open back
	01567-40-00	sew-on settings, open back
40/30	01199-00-00	closed back
	01199-10-00	open back
	01199-40-00	sew-on settings, open back
40/30	51521-00-00	closed back
	51521-10-00	open back
42/23	51708-00-00	closed back
	51708-00-00	open back



[< Sitemap](#)




Settings with prongs: **Octagon**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
23 mm

Size	Product code	Type
6 mm	01656-00-00	closed back
	01656-10-00	open back
	01656-40-00	sew-on settings, open back
8 mm	01657-00-00	closed back
	01657-10-00	open back
	01657-40-00	sew-on settings, open back
10 mm	01661-00-00	closed back
	01661-10-00	open back
	01661-40-00	sew-on settings, open back
	01658-00-00	closed back
	01658-10-00	open back
	01658-40-00	sew-on settings, open back
12 mm	00422-00-00	closed back
14 mm	01662-00-00	closed back
	01662-10-00	open back
	01662-40-00	sew-on settings, open back
	01698-00-00	closed back
	01698-10-00	open back
	01698-40-00	sew-on settings, open back
18 mm	01699-00-00	closed back
	01699-10-00	open back
	01699-40-00	sew-on settings, open back
18 mm	52401-00-00	closed back
	52401-10-00	open back
20 mm	01670-00-00	closed back
	01670-10-00	open back
	01670-40-00	sew-on settings, open back
23 mm	01547-00-00	closed back
	01547-10-00	open back
	01547-40-00	sew-on settings, open back
28 mm	51019-00-00	closed back
	51019-10-00	open back



< [Sitemap](#)



Settings with prongs: **Octagon**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
23 mm

Size	Product code	Type
8 mm	01634-00-00	closed back
	01634-10-00	open back
	01634-40-00	sew-on settings, open back (4x1)
14 mm	01625-00-00	closed back
	01625-10-00	open back
	01625-40-00	sew-on settings, open back (4x1)
23 mm	01624-00-00	closed back
	01624-10-00	open back
	01624-40-00	sew-on settings, open back (4x1)

< [Sitemap](#)



Flatback settings: **Octagon**

Open search window:
Ctrl + F



The picture show
the item in size
25 mm

Size	Product code	Type
15 mm	00693-00-00	millgrain
17,5 mm	01297-00-00	millgrain
25 mm	01298-00-00	millgrain
29 mm	01299-00-00	millgrain
33 mm	01300-00-00	millgrain

< [Sitemap](#)











Flatback settings: **Octagon**

Open search window:
Ctrl + F



The picture show
the item in size
25/18 mm

Size	Product code	Type	
10/8	51685-00-00	millgrain	
12/8	01264-00-00	millgrain	
12/10	00402-00-00	millgrain	
14/10	01288-00-00	millgrain	
14/10	51320-00-00	millgrain	
18/13	01272-00-00	millgrain	
18/13	51235-00-00	millgrain	
24/18	51317-00-00	millgrain	
25/18	01166-00-00	millgrain	
29/17	50649-00-00	flat	
30/26	50580-00-00	millgrain	
30,5/26	01373-00-00	flat	
36/27	51237-00-00	millgrain	
39/24	50614-00-00	flat	
40/30	01280-00-00	millgrain	

[< Sitemap](#)



Crown settings: **Octagon**

Open search window:
Ctrl + F



The picture show
the item in size
25/18 mm

Size

Product code

Type

25/18

51638-00-00

closed back



The picture show
the item in size
32/32 mm

Size

Product code

Type

32/32

51186-00-00

closed back



< [Sitemap](#)



Settings with prongs: **Triangle**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
17 mm


Size	Product code	Type
8 mm	01715-00-00	closed back
	01715-10-00	open back
	01715-40-00	sew-on settings, open back
11 mm	01283-00-00	closed back
	01283-10-00	open back
	01283-40-00	sew-on settings, open back
17 mm	00456-00-00	closed back
	00456-10-00	open back
	00456-40-00	sew-on settings, open back
20 mm	00457-00-00	closed back
	00457-10-00	open back



closed back



open back



sew-on settings

The picture shows
the item in size
21,5 mm

Size	Product code	Type
15,5 mm	01597-00-00	closed back
	01597-10-00	open back
	01597-40-00	sew-on settings, open back
21,5 mm	01598-00-00	closed back
	01598-10-00	open back
	01598-40-00	sew-on settings, open back

[< Sitemap](#)



Settings with prongs: **Triangle**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
23 mm

Size

23 mm

Product code

01548-00-00
01548-10-00
01548-40-00

Type

closed back
open back
sew-on settings, open back

[< Sitemap](#)



Flatback settings: **Triangle**

Open search window:
Ctrl + F



The picture show
the item in size
6 mm

Size	Product code	Type
4 mm	01534-00-00	flat
6 mm	01533-00-00	flat



Size	Product code	Type
15 mm	00353-00-00	millgrain

< [Sitemap](#)



Settings with prongs: **Heart**

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
28/28 mm

Size	Product code	Type
5,5/5	01705-00-00	closed back
	01705-10-00	open back
	01705-40-00	sew-on settings, open back
8,8/8	01706-00-00	closed back
	01706-10-00	open back
	01706-40-00	sew-on settings, open back
10/10	01196-00-00	closed back
	01196-10-00	open back
	01196-40-00	sew-on settings, open back
11/10	01707-00-00	closed back
	01707-10-00	open back
	01707-40-00	sew-on settings, open back
13/13	01247-00-00	closed back
	01247-10-00	open back
	01247-40-00	sew-on settings, open back
14/14	01208-00-00	closed back
	01208-10-00	open back
	01208-40-00	sew-on settings, open back
18/18	00682-00-00	closed back
	00628-10-00	open back
18/18	52402-00-00	closed back
	52402-10-00	open back
21/19,5	01238-00-00	closed back
	01238-10-00	open back
	01238-40-00	sew-on settings, open back
26/24	01222-00-00	closed back
	01222-10-00	open back
25/25	01221-00-00	closed back
	01221-10-00	open back
25/25	52398-00-00	closed back
	52398-10-00	open back
28/28	01552-00-00	closed back
	01552-10-00	open back
	01552-40-00	sew-on settings, open back
34/30	51022-00-00	closed back
	51022-10-00	open back



[◀ Sitemap](#)



Settings with prongs: Heart

Open search window:
Ctrl + F



closed back



open back



sew-on settings

The picture shows
the item in size
28/28 mm

Size	Product code	Type
35/35	01241-00-00	closed back
	01241-10-00	open back
36/32	01239-00-00	closed back
	01239-10-00	open back
	01239-40-00	sew-on settings, open back
36/32	52394-00-00	closed back
	52394-10-00	open back



closed back



open back



sew-on settings

The pictures show
the item in size
17/13,5 mm

Size	Product code	Type
8/7,5	01728-00-00	closed back
	01728-10-00	open back
	01728-40-00	sew-on settings, open back
13/12	01725-00-00	closed back
	01725-10-00	open back
	01725-40-00	sew-on settings, open back
17/15,5	01726-00-00	closed back
	01726-10-00	open back
	01726-40-00	sew-on settings, open back

< [Sitemap](#)



Crown settings: Heart

Open search window:
Ctrl + F



closed back



open back



1 ring, closed back



1 ring, open back

The picture shows
the item in size
25/22 mm

Size	Product code	Type
13/13	52199-00-00	closed back
	52199-10-00	open back
	52199-30-00	1 ring, closed back
	52199-31-00	1 ring, open back
17/16	50634-00-00	closed back
	50634-10-00	open back
	50634-30-00	1 ring, closed back
	50634-31-00	1 ring, open back
25/22	50635-00-00	closed back
	50635-10-00	open back
	50635-30-00	1 ring, closed back
	50635-31-00	1 ring, open back

< [Sitemap](#)



Flatback settings: **Heart**

Open search window:
Ctrl + F



The picture show
the item in size
14x13 mm

Size	Product code	Type
4/4	01065-00-00	flat
5/5	01018-00-00	millgrain
6/6,5	01015-00-00	millgrain
10/9	00961-00-00	millgrain
11/11	01055-00-00	millgrain
14/12	01217-00-00	millgrain
14/13	01317-00-00	millgrain

< [Sitemap](#)




Ornamental settings

Open search window:
Ctrl + F



51276-00-00
Size: ss19



50134-00-00
Size: ss30




50135-00-00
Size: ss35



50136-00-00
Size: ss40




51208-00-00
Size: ss45




50132-10-00
Size: ss45




50137-00-00
Size: ss45




50133-00-00




50133-30-00




50133-10-00




01029-00-00
Size: ss25



01005-00-00
Size: ss40




00321-00-00




00322-00-00
Size: ss35




01016-00-00
Size: ss30




50131-00-00
Size: 10/8




00516-00-00
Size: ss15




00340-00-00
Size: ss19-22



00341-00-00
Size: ss30



00537-00-00
Size: ss35



50130-00-00
Size: 10/8

< [Sitemap](#)



Multiple settings

Open search window:
Ctrl + F



01007-00-00
Size: ss12



00574-00-00
Size: ss15




00532-00-00
Size: ss19




00585-00-00
Size: ss15



00548-00-00
Size: ss19




00721-00-00
Size: ss15/ss25




00721-10-00
Size: ss15/ss25




00344-00-00
Size: ss15/ss35




00344-10-00
Size: ss15/ss35




00559-00-00
Size: ss15/ss18/ss24




00342-00-00
Size: ss15/10/6




00342-10-00
Size: ss15/10/6




00343-00-00
Size: ss15/13/7,8



00343-10-00
Size: ss15/13/7,8




00469-10-00
Size: ss15/ss40



01058-20-00
Size: ss12



00295-00-00
Size: ss19



00296-00-00
Size: ss25



00345-00-00
Size: ss15/ss25




00561-00-00
Size: ss25

< [Sitemap](#)




Asymmetrical settings

Open search window:
Ctrl + F



00272-10-00
Size: 10/5




00380-00-00
Size: 15/4




00418-00-00
Size: 16/4




00303-10-00
Size: 12/8



00413-10-00
Size: 15/4



00409-00-00
Size: 15/4




00410-00-00
Size: 15/4




00420-00-00
Size: 17/5




00419-00-00
Size: 17/5



01266-10-00
Size: 21/17




00407-10-00
Size: 24/6



00408-10-00
Size: 24/6



00430-00-00
Size: 15/4



00541-00-00
Size: 22/6



01209-10-00
Size: 38/24



00441-00-00
Size: 21/13



00442-00-00
Size: 21/13



00441-10-00
Size: 21/13



00442-10-00
Size: 21/13



00433-00-00
Size: 17 mm



00431-00-00
Size: 27/16



00432-00-00
Size: 27/16



00431-10-00
Size: 27/16



00432-10-00
Size: 27/16



00433-10-00
Size: 17 mm

[< Sitemap](#)




Asymmetrical settings

Open search window:
Ctrl + F



00451-10-00
Size: 15,5/10,5




00452-10-00
Size: 15,5/10,5



00454-10-00
Size: 21/15



00453-10-00
Size: 21/15



00405-00-00
Size: 18 mm



00404-00-00
Size: 16/11



50827-00-00
Size: 28/24




52397-10-00
Size: 36/36



51166-10-00
Size: 35/35




51773-00-00
Size: 34/27



51850-10-00
Size: 38/28



51709-10-00
Size: 40/30



51608-10-00
Size: 38/28

[< Sitemap](#)




Settings with rings

Open search window:
Ctrl + F



50191-10-00
Size: 10/8




50200-10-00
Size: 17/12



50190-10-00
Size: 10/8



50193-10-00
Size: 16/11



50194-10-00
Size: 16/12



50196-10-00
Size: 10/6




50198-10-00
Size: 12/8



50199-10-00
Size: 13/10



50201-10-00
Size: 17/13



50203-10-00
Size: 20/10



50206-10-00
Size: 18/10



51769-10-00
Size: 23/8




50210-10-00
Size: 16/8



50211-10-00
Size: 18/8



50213-00-00
Size: 18/9




50207-10-00
Size: 7/5




50214-10-00




50215-10-00




50209-00-00
Size: 16/14




00339-00-00
Size: ss19



00345-30-00
Size: ss15/ss25



00335-00-00
Size: 10/5



00338-00-00
Size: 10/5

[< Sitemap](#)